
ATTY DKT. No.: U.S. SERIAL No.: AMAT/6766/CPI/L/B/PJS TO BE ASSIGNED HEREWITH FILED:

CONF. NO.:

APPLICANT:

APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING TITLE:

LING CHEN, ET AL. INVENTOR: PAGE 1 of 9 EXPRESS MAIL NO.: EV 335470348 US




AMAT/6766/CPI/L/B/PJS TO BE ASSIGNED HEREWITH ATTY DKT. No.: U.S. SERIAL No.: FILED:


APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL APPLICANT: TITLE: **PROCESSING** 

INVENTOR: LING CHEN, ET AL. EXPRESS MAIL NO.: EV 335470348 US

PAGE 2 of 9

CONF. No.:





 $ldsymbol{ldsymbol{ldsymbol{ldsymbol{ldsymbol{L}}}}$ 

ATTY DKT. NO.: U.S. SERIAL NO.: AMAT/6766/CPI/L/B/PJS TO BE ASSIGNED

U.S. SERIAL NO.: 10 BE ASSIGNED CONF. NO.:
FILED: HEREWITH
APPLICANT: APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING
INVENTOR: LING CHEN, ET AL.
EXPRESS MAIL NO.: EV 335470348 US PAGE

PAGE 3 of 9

CONF. No.:

3/9




Fig. 4

L

ATTY DKT. No.: U.S. SERIAL NO.: FILED: APPLICANT: AMAT/6766/CPI/L/B/PJS
TO BE ASSIGNED CONF. NO.:
HEREWITH
APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
BROCESSING

TITLE: **PROCESSING** 

INVENTOR: LING CHEN, ET AL. EXPRESS MAIL NO.: EV 335470348 US INVENTOR:

PAGE 4 of 9

4/9




Fig. 5A




Fig. 5B

L

ATTY DKT. No.: U.S. SERIAL No.: FILED:

APPLICANT:

AMAT/6766/CPI/L/B/PJS
TO BE ASSIGNED CONF. NO.:
HEREWITH
APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL TITLE: **PROCESSING** 

INVENTOR: LING CHEN, ET AL. EXPRESS MAIL NO.: EV 335470348 US

PAGE 5 of 9




Fig. 6

AMAT/6766/CPI/L/B/PJS TO BE ASSIGNED HEREWITH ATTY DKT. No.: U.S. SERIAL No.: FILED:

CONF. NO.:

APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING TITLE:

APPLICANT:

INVENTOR: LING CHEN, ET AL. EXPRESS MAIL NO.: EV 335470348 US

PAGE 6 of 9

 $\neg$ 




Fig. 6A

ATTY DKT. No.: U.S. SERIAL No.:

FILED:

AMAT/6766/CPI/L/B/PJS
TO BE ASSIGNED CONF. NO.:
HEREWITH
APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING APPLICANT: TITLE:

INVENTOR: LING CHEN, ET AL. EXPRESS MAIL NO.: EV 335470348 US

PAGE 7 of 9

7/9





Fig. 7



 $\Box$ 

Fig. 7A

ATTY DKT. No.: AMAT/6766/CPI/L/B/PJS U.S. SERIAL NO .: TO BE ASSIGNED CONF. NO.: FILED: HEREWITH APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING APPLICANT: TITLE: INVENTOR: LING CHEN, ET AL. EXPRESS MAIL NO.: EV 335470348 US PAGE 8 of 9 8/9 816 -814 812 Fig. 8A 818 810 814 812 Fig. 8B -830 810 814 840 812 Fig. 8C 830 -810 850 840 812 Fig. 8D 830

810

ATTY DKT. No.: U.S. SERIAL No.: FILED:

AMAT/6766/CPI/L/B/PJS
TO BE ASSIGNED CONF. NO.:
HEREWITH
APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL APPLICANT: TITLE:

**PROCESSING** LING CHEN, ET AL. INVENTOR: EXPRESS MAIL No .: EV 335470348 US

PAGE 9 of 9




Fig. 9